

## Referencer til *Er det noget du har spist?*

Kay L, Jørgensen T, Jensen KH. Irritable colon among 30-60-year old subjects. A cohort study of 4581 Danes. *Ugeskr Laeger*. 1995 Jun 12;157(24):3476-80.

World Cancer Research Fund / American Institute for Cancer Research. *Food, Nutrition, Physical Activity, and the Prevention of Cancer: a Global Perspective*. Washington DC: AICR, 2007.

Morten Østerballe, Allan R. Linneberg. Hvor mange har allergi? *Ugeskr Læger* 2005;167(06):605

Eriksson, N. E., C. Moller, et al. "The hazards of kissing when you are food allergic. A survey on the occurrence of kiss-induced allergic reactions among 1139 patients with self-reported food hypersensitivity." *J Investig Allergol Clin Immunol* 2003;13(3): 149-54.

Litonjua AA, Weiss ST. Is vitamin D deficiency to blame for the asthma epidemic? *J Allergy Clin Immunol*. 2007 Oct 3; [Epub ahead of print]

Devereux G. Early life events in asthma--diet. *Pediatr Pulmonol*. 2007 Aug;42(8):663-73.

Laerum BN et al. Relationship of fish and cod oil intake with adult asthma. *Clin Exp Allergy*. 2007 Sep 17.

Lorente F, Prevention of allergic diseases. *Iergol Immunopathol (Madr)*. 2007 Jul-Aug;35(4):151-6.

Ratje Frøskaller. *Analysecertifikat*. 1998.

Heyman M. Gut barrier dysfunction in foodallergy. *Eur J Gastroenterol Hepatol*. 2005 Dec;17(12):1279-85.

Ventura MT. Intestinal permeability in patients with adverse reactions to food. *Dig Liver Dis*. 2006 Oct;38(10):732-6. Epub 2006 Jul 31.

Drisko J. Treating irritable bowel syndrome with a food elimination diet followed by food challenge and probiotics. *J Am Coll Nutr*. 2006 Dec;25(6):514-22.

Zar S, Food-specific serum IgG4 and IgE titers to common food antigens in irritable bowel syndrome. *Am J Gastroenterol*. 2005 Jul;100(7):1550-7.

Zar S, Food-specific IgG4 antibody-guided exclusion diet improves symptoms and rectal compliance in irritable bowel syndrome. *Scand J Gastroenterol*. 2005 Jul;40(7):800-7.

Atkinson W, Food elimination based on IgG antibodies in irritable bowel syndrome: a randomised controlled trial. *Gut*. 2004 Oct;53(10):1459-64.

Buhner S. Pseudoallergic reactions in chronic urticaria are associated with altered gastroduodenal permeability. *Allergy*. 2004 Oct;59(10):1118-23.

[www.maelk.nu](http://www.maelk.nu) d. 16.02.2007

Gudman-Høyer. Cøliaki hos voksne. Lægemedisinet 4/05.

Gregor Nemeč., Alessandro Ventura, Martellosi Stefano., Grazia Di Leo, M.D, Valentina Baldas, Alberto Tommasini, M.D, Fortunato Ferrara, B.Sc., Andrea Taddio, M.D., Angelo Città., Daniele Sblattero., Roberto Marzari, , and Tarcisio Not. Looking for Celiac Disease: Diagnostic Accuracy of Two Rapid Commercial Assays. *Am J Gastroenterol* 2006;101:1597–1600.

T. Raivio, K. Kaukinen, E. Nemes, K. Lauria, P. Collin, J:B: Kovaks, M. Mäki, I.R: Korponay-Szabo. Self transglutaminase-based rapid coeliac disease antibody detection by a lateral flow method. *Aliment Pharmacol Ther* 24, 147–154

Mäki M, Colin P. Coeliac Disease. *Lancet* 1997;349 no. 9067:1755-1759.

Bodë S, Gudman-Høyer E. Incidence and Prevalence of Adult Coeliac Disease within a defined Geographic Area in Denmark. *Scand J Gastroenterol* 1996;31:694-699.

Weile B, Cavell B et al. Striking differences in the Incidence of Childhood Celiac Disease Between Denmark and Sweden: A Plausible Explanation. *J Pediatr Gastroenterol Nutrition* 1995;21:64-68.

Menardo G et al. Population screening for coeliac disease in a low prevalence area in Italy. *Scand J Gastroenterol*. 2006 Dec;41(12):1414-20.

Dicke W K, Weijers H A, Kamer J H v d. Coeliac Disease II. The Presence in Wheat of a factor Having a Deleterious Effect in Cases of Coeliac Disease. *Acta Pædiatrica* 1953;42:35-43.

Janatuinen EK, Kempainen TA, Julkunen RJ. No harm from five year ingestion of oats in coeliac disease. *Gut*. 2002 Mar;50(3):332-5.

Wahnschaffe U. Predictors of clinical response to gluten-free diet in patients diagnosed with diarrhea-predominant irritable bowel syndrome. *Clin Gastroenterol Hepatol*. 2007 Jul;5(7):844-50; quiz 769.

Knivsberg A. M. Wiig K. , Ling G., Nodland M., Reichelt K. L., “Dietary Intervention in Autistic Syndromes”, *Brain Dysfunction*, 1990, 3, 315-327.

Reichelt K. L., Ekrem J., Scot H., “Gluten, Milk Proteins and Autism: Dietary Intervention Effects on Behavior and Peptide Secretion”, *Journal of Applied Nutrition*, 1990, 42(1):1-11.

Reichelt K. L., Hole K., Hamberger A., Saelid G., Edminson P. p., Braestrup C. B., Lingjaerde o.,

Ledaal P., and Orbeck H., “Biologically Active Peptide-Containing Fractions in Schizophrenia and Childhood Autism”, *Adv. Biochem. Psychopharmacol.*, 1981, 28:627-43 (or in Martin J. B.,

Reichlin S. and Bick K. L., *Neurosecretion and Brain Peptides* (Raven Press, New York 1981))

Reichelt K. L., Knivsberg A-M., Lind G., Nodland M., “Probable Etiology and Possible Treatment of Childhood Autism”, *Brain Dysfunction*, 1991, 4:308-19.

Reichelt K. L., Knivsberg A-M., Nodland M., Lind G., "Nature and Consequences of Hyperpeptiduria and Bovine Casomorphins Found in Autistic Syndromes", *Developmental Brain Dysfunction*, 1994;71-85.

Reichelt K. L., Saelid G., Lindback T., Boler J. B., "Child Autism: A complex Disorder", *Biological Psychiatry*, 1986, 21:1279-90

Reichelt K. L., Sagedal E., Landmark J., Sangvik B. T., Eggen O., Scott H., "The Effect of Gluten-Free Diet on Urinary Peptide Excretion and Clinical State in Schizophrenia", *Journal of Orthomolecular Medicine*, 1990, 5(4):223-39.

Shattock P., Kennedy A., Rowell F., Berney T., "Role of Neuropeptides in Autism and Their Relationships with Classical Neurotransmitters", *Brain Dysfunction*, 1990, 3:328-343.

Williams K., Shattock P., Berney T., "Proteins, Peptides and Autism: Part 1: Urinary Protein Patterns in Autism as Revealed by Sodium Dodecyl Sulphate-Polyacrylamide Gel Electrophoresis and Silver Staining", *Brain Dysfunction*, 1991, 4:320-322.

Shattock P., Lowdon G., "Proteins, Peptides and Autism: Part 2: Implications for the Education and Care of People with Autism", 1991, 4:323-334.

Trygstad O. E., Reichelt K. L., et al., "Patterns of Peptides and Protein-Associated-Peptide Complex in Psychiatric Disorders", *British Journal of Psychiatry*, 1980, 136:59-72. NR

Shaw, W, Kassen, E. Chaves, E. Increased urinary Excretion of analogs of Krebs cycle metabolites and arabinose in two brothers with autistic features, *Clin Chem* 41/8, 1094-1104 (1995).

Knivsberg AM, Reichelt KL, Høyen T, Nødland M. A randomised, controlled study of dietary intervention in autistic syndromes. *Nutr Neurosci*. 2002 Sep;5(4):251-61.

<http://www.romecriteria.org/questionnaires/> 14. oktober 2007.

YouGovZapera. Executive summary af maveundersøgelse. I perioden 6.-16-juli 2007.

Lin HC, Pimentel M. Bacterial concepts in irritable bowel syndrome. *Rev Gastroenterol Disord*. 2005;5 Suppl 3:S3-9.

Kajander K, Myllyluoma E, et al. Clinical trial: multispecies probiotic supplementation alleviates the symptoms of IBS and stabilises intestinal microbiota. *Aliment Pharmacol Ther*. 2007 Oct 6.

Kajander K, Korpela R. Clinical studies on alleviating the symptoms of irritable bowel syndrome. *Asia Pac J Clin Nutr*. 2006;15(4):576-80.

Camilleri M. Probiotics and irritable bowel syndrome: rationale, putative mechanisms, and evidence of clinical efficacy. *J Clin Gastroenterol*. 2006 Mar;40(3):264-9.

Raahave D, Loud F B. Additional faecal reservoirs or hidden constipation: a link between functional and organic bowel disease. Danish Medical Bulletin - No. 4. November 2004. Vol. 51 Pages 422-5.

<http://www.shsweb.co.uk/elemental/prof/lofflex.htm>

Woolner JT et al. The development and evaluation of a diet for maintaining remission in Crohn's disease. Journal of Human Nutrition & Dietetics; 1998, 11: 1-11.

www.ccf.dk . 18.oktober 2007

McCann D, Barrett A, Cooper A, Crumpler D, Dalen L, Grimshaw K, Kitchin E, Lok K, Porteous L, Prince E, Sonuga-Barke E, Warner JO, Stevenson J. Food additives and hyperactive behaviour in 3-year-old and 8/9-year-old children in the community: a randomised, double-blinded, placebo-controlled trial. Lancet. 2007 Nov 3;370(9598):1560-7.

Miyake K, Tanaka T, McNeil PL. Lectin-based food poisoning: a new mechanism of protein toxicity. PLoS ONE. 2007 Aug 1;2(1):e687.

www.feingold.org d. 23.oktober 2007

Fitzsimon M et al. Salicylate sensitivity in children reported to respond to salicylate exclusion. Med J Aust. 1978 Dec 2;2(12):570-2.

Calder PC. n-3 polyunsaturated fatty acids, inflammation, and inflammatory diseases. Am J Clin Nutr. 2006 Jun;83(6 Suppl):1505S-1519S.

Jagetia GC. "Spicing up" of the immune system by curcumin. Clin Immunol. 2007 Jan;27(1):19-35.

Gautam SC. Immunomodulation by curcumin. Adv Exp Med Biol. 2007;595:321-41.

Larsen E. An antiinflammatory galactolipid from rose hip (*Rosa canina*) that inhibits chemotaxis of human peripheral blood neutrophils in vitro. J Nat Prod. 2003 Jul;66(7):994-5.

Tribolo S. Comparative effects of quercetin and its predominant human metabolites on adhesion molecule expression in activated human vascular endothelial cells. Atherosclerosis. 2007 Sep 17

Imase K et al. Lactobacillus reuteri tablets suppress Helicobacter pylori infection--a double-blind randomised placebo-controlled cross-over clinical study. Kansenshogaku Zasshi. 2007 Jul;81(4):387-93.

Larsen CS. Rejsediare. Ugeskr Læger 2005;167(43):4068.

Bu LN et al. Lactobacillus casei rhamnosus Lcr35 in children with chronic constipation. Pediatr Int. 2007 Aug;49(4):485-90.

Bekkali N et al. The role of a probiotics mixture in the treatment of childhood constipation: a pilot study. Nutr J. 2007 Aug 4;6(1):17.

Hawrelak et al. Is *Lactobacillus rhamnosus* GG effective in preventing the onset of antibiotic-associated diarrhoea: a systematic review. *Digestion* 2005;72(1):49-50.

Abrahamsson et al. Probiotics in prevention of IgE-associated eczema: A double-blind, randomized, placebo-controlled trial. *J Allergy Clin Immunol.* 2007 May;119(5):1174-80. Epub 2007 Mar 8.

Titgemeyer EC, Bourquin LD, Fahey GC Jr, et al. Fermentability of various fiber sources by human fecal bacteria in vitro. *Am J Clin Nutr* 1991;53(6):1418-24.

Heyman M. Gut barrier dysfunction in food allergy. *Eur J Gastroenterol Hepatol.* 2005 Dec;17(12):1279-85.

Ventura MT. Intestinal permeability in patients with adverse reactions to food. *Dig Liver Dis.* 2006 Oct;38(10):732-6.

Duerksen DR. Intestinal permeability in long-term follow-up of patients with celiac disease on a gluten-free diet. *Dig Dis Sci.* 2005 Apr;50(4):785-90.

Laitinen K. Management of food allergy: vitamins, fatty acids or probiotics? *Eur J Gastroenterol Hepatol.* 2005 Dec;17(12):1305-11.

Faktaark: YouGovZapera. Undersøgelse af danskernes viden om og forebyggelse af maveproblemer. I perioden 6.-16. juli 2007.

[www.foedevarestyrelsen.dk/FDir/Publications/2005221/Rapport.pdf](http://www.foedevarestyrelsen.dk/FDir/Publications/2005221/Rapport.pdf)

Andersen N L et al. Danskernes kostvaner 1995 Hovedresultater, Levnedsmiddelstyrelsen.

Andersen R, Teenage girls and elderly women living in northern Europe have low winter vitamin D status. *Eur J Clin Nutr.* 2005 Apr;59(4):533-41.

Loren Cordain, S Boyd Eaton, et al. Origins and evolution of the Western diet: health implications for the 21st century<sup>1,2</sup>, *Am J Clin Nutr* 2005;81:341-54.

Helse. Nr. 2, februar 2007. Side 26-27.

White Lies: [www.vegetarian.org.uk](http://www.vegetarian.org.uk). d. 23. august 2007

[http://www.foedevareallergi.dk/Paa\\_indkoeb/Maelk/forside.htm](http://www.foedevareallergi.dk/Paa_indkoeb/Maelk/forside.htm). d. 24. marts 2005.